

Bevelpane Fixe Door Collection





RAL 9016 White



(HALAM & Wellow cassettes are available central or to the left or right - please specify)





RAL 3011 Red



RAL 5011 Blue



RAL6009 Green



RAL 8022 Black Brown



RAL 8001 Golden Oak



Black Cherry



RAL 7016 Anthracite Grey



RAL 7001 Silver Grey



Chartwell Green



Irish Oak



RAL 9011 Black



White FD30 Clumber Glazed



Red FD30 Maple Glazed



Minster 1 Glazed



Blue FD30 Minster 3 Glazed



Green FD30 Rufford 2 Glazed



Black Cherry FD30 Rufford 4 Glazed



Black FD30 Rufford Solid Glazed



Irish Oak FD30 Tuxford Glazed



7016 Grey FD30 Halam Glazed



7155 Grey FD30 Wellow 3 Glazed



Chartwell Green FD30 Normanton Glazed



Red FD30 Normanton 2 Handle Glazed



GU Security Automatic - FD30 Fire Door Lock

This is a Slam Shut Lock. The spindle is situated at 960 from the bottom of the slab. Lock comes with fully adjustable composite keeps with edge protection. With 3 deadbolts and centre latch this is a PAS23/24 tested lock. This is our only lock used on FD30 doors in conjunction with our fire testing certificate.

Ultion Cylinder - FD30 Cylinder



Ultion Thumbturn

3 Star Security Cylinder with Secured By Design accreditation and Sold Secure Diamond Standard.

Astra 4000 Door Closer - Our Standard



Fully controlled door closer designed specifically for fire doors. Easy speed adjustment makes this ultra efficient.

Optional ASSA External fitted closer. Rack and pinion closer with link arm.



Union Powerload Butt Hinge

High Performance bushed bearing butt hinge. Radius corners for speed of fixing.





Nu Mail Fire Letterplate

Fitted with a Shield/Cowl for PAS24

Available in: white, black, bright gold, bright chrome, satin chrome, 7016 grey, graphite & stainless steel



Glass Options







7mm Pyrodur with Satin







Tested to BS476 Part 22 1987 Both Sides

Report numbers 402105 & 403720



BSEN 1154 Compliant Closers







"All the information in this brochure is provided for guidance only and is given in good faith, but without warranty or guarantee of any kind, whether implied or expressed. Our policy is to continually improve products, therefore methods, material and changes of specification may be made from time to time without prior notice"